

Dream Queen

Lab ID: 1812016-07

ANM Inc.

030-1004164663A

METRC Batch ID: 28355

METRC Sample Tag: 1A4010300008B11000028428

Date Sampled: 12/04/18

Date Printed: 12/10/18

Potency Analysis

Analytical Method: De Backer, Journal of Chromatography b2009.11.004 - SOP 19 and 20

Cannabinoids (% weight)

Cannabinoids (% weight)	Notes
THCA	67.0
delta 9-THC	2.47
delta 8-THC	< LOQ
CBGA	1.59
CBDA	0.736
CBD	< LOQ
CBN	< LOQ
CBG	< LOQ
CBC	< LOQ

Total THC

61.2 %


Total CBD

0.645 %

<LOQ - Results below the Limit of Quantitation

Acid form of THC/CBD are decarboxylated by heat, lose 12% of original mass as CO₂. Result = *bioactive*

Total Cannabinoid accounts for decarboxylation and moisture content Total THC = $[(THCA \times 0.877) + \Delta 9THC] / (100\% - MC)$



Harrison Cassady

Lab Director

Dream Queen

ANM Inc.

030-1004164663A

Laboratory ID: 1812016-07

Dream Queen

Date Sampled: 12/04/18 13:51

Date Accepted: 12/04/18

Results Valid Until: 12/04/19

ANM Inc.

Sample ID: 1812016-07

Matrix: Shatter

M #:

Pesticide Analysis in PPM

Date/Time Extracted: 12/05/18 08:15

Date/Time GC Analyzed:


Analysis Method/SOP: *** DEFAULT

Date/Time LC Analyzed:

SPECIFIC METHOD

Batch Identification:B18L024

Analyte	Result	Action Level	LOQ	Type
Abamectin	< LOQ	0.5	0.2329	Avermectin insecticide
Acephate	< LOQ	0.4	0.1864	Organophosphate Insecticide
Acequinocyl	< LOQ	2	0.9318	Quinoline insecticide
Acetamiprid	< LOQ	0.2	0.09318	Neonicotinoid insecticide
Aldicarb	< LOQ	0.4	0.1864	Carbamate insecticide
Azoxystrobin	< LOQ	0.2	0.09318	Strobin flungicide
Biflennazate	< LOQ	0.2	0.09318	Carbazate miticide
Biflenthin	< LOQ	0.2	0.09318	Pyrethroid insecticide
Boscalid	< LOQ	0.4	0.1864	Carboxamide flungicide
Carbaryl	< LOQ	0.2	0.09318	Carbamate insecticide
Carbofluran	< LOQ	0.2	0.09318	Carbamate insecticide
Chlorantraniliprole	< LOQ	0.2	0.09318	Anthranilic diamide insecticide
Chlorfenapyr	< LOQ	1	0.4659	Pyrrole insecticide
Chlorpyriflos	< LOQ	0.2	0.09318	Organophosphate Insecticide
Clofentezine	< LOQ	0.2	0.09318	Tetrazine miticide
Cyfluthrin	< LOQ	1	0.4659	Pyrethroid insecticide
Cypermethrin	< LOQ	1	0.4659	Pyrethroid insecticide
Daminozide	< LOQ	1	0.4659	Plant growth regulator
DDVP (Dichlorvos)	< LOQ	1	0.4659	Organophosphate insecticide
Diazinon	< LOQ	0.2	0.09318	Organophosphate Insecticide
Dimethoate	< LOQ	0.2	0.09318	Organophosphate insecticide
Ethoprophos	< LOQ	0.2	0.09318	Organophosphate insecticide
Etoflenprox	< LOQ	0.4	0.1864	Pyrethroid insecticide
Ettoxazole	< LOQ	0.2	0.09318	Oxazoline insecticide
Fenoxycarb	< LOQ	0.2	0.09318	Carbamate insecticide
Fenpyroximate	< LOQ	0.4	0.1864	Pyrazolium miticide
Fipronil	< LOQ	0.4	0.1864	Pyrazole insecticide
Flonicamid	< LOQ	1	0.4659	Pyridinecarboxamide insecticide



Harrison Cassady
Lab Director

Dream Queen

ANM Inc.

030-1004164663A

Laboratory ID: 1812016-07

Dream Queen

Date Sampled: 12/04/18 13:51

Date Accepted: 12/04/18

Results Valid Until: 12/04/19

ANM Inc.

Sample ID: 1812016-07

Matrix: Shatter

M #:

Pesticide Analysis in PPM

Date/Time Extracted: 12/05/18 08:15

Date/Time GC Analyzed:


Analysis Method/SOP: *** DEFAULT

Date/Time LC Analyzed:

SPECIFIC METHOD

Batch Identification:B18L024

Analyte	Result	Action Level	LOQ	Type
Fludioxonil	< LOQ	0.4	0.1864	Benzodioxole flungicide
Hexythiazox	< LOQ	1	0.4659	Heterocyclic miticide
Imazalil	< LOQ	0.2	0.09318	Imidazole flungicide
Imidacloprid	< LOQ	0.4	0.1864	Neonicotinoid insectide
Kresoxim-methyl	< LOQ	0.4	0.1864	Strobilurin flungicide
Malathion	< LOQ	0.2	0.09318	Organophosphate insecticide
Metalaxyl	< LOQ	0.2	0.09318	Benzenoid flungicide
Methiocarb	< LOQ	0.2	0.09318	Carbamate insecticide
Methomyl	< LOQ	0.4	0.1864	Carbamate insecticide
Methyl parathion	< LOQ	0.2	0.09318	Organophosphate insecticide
MGK-264	< LOQ	0.2	0.09318	Pesticide synergist
Myclobutanil	< LOQ	0.2	0.09318	Triazole flungicide
Naled	< LOQ	0.5	0.2329	Organophosphate insecticide
Oxamyl	< LOQ	1	0.8153	Carbamate insecticide
Paclobutrazol	< LOQ	0.4	0.1864	Triazole flungicide
Permethrins	< LOQ	0.2	0.09318	Pyrethroid insecticide
Phosmet	< LOQ	0.2	0.09318	Organophosphate insecticide
Piperonyl butoxide	< LOQ	2	0.4659	Pesticide synergist
Prallethrin	< LOQ	0.2	0.09318	Pyrethroid insecticide
Propiconazole	< LOQ	0.4	0.1864	Triazole flungicide
Propoxur	< LOQ	0.2	0.09318	Carbamate insecticide
Pyrethrins	< LOQ	1	0.4659	Pyrethroid insecticide
Pyridaben	< LOQ	0.2	0.09318	Pyridazinone insecticide
Spinosad	< LOQ	0.2	0.09318	Spinosyn insecticide
Spiromesiflen	< LOQ	0.2	0.09318	Keto-enol insecticide
Spirotetramat	< LOQ	0.2	0.09318	Keto-enol insecticide
Spiroxamine	< LOQ	0.4	0.1864	Spiroketalamine flungicide
Tebuconazole	< LOQ	0.4	0.1864	Triazole flungicide



Harrison Cassady
Lab Director

Dream Queen

ANM Inc.

030-1004164663A

Laboratory ID: 1812016-07

Dream Queen

Date Sampled: 12/04/18 13:51

Date Accepted: 12/04/18

Results Valid Until: 12/04/19

ANM Inc.

Sample ID: 1812016-07

Matrix: Shatter

M #:

Pesticide Analysis in PPM

Date/Time Extracted: 12/05/18 08:15

Date/Time GC Analyzed:

Analysis Method/SOP: *** DEFAULT

Date/Time LC Analyzed:


SPECIFIC METHOD

Batch Identification: B18L024

Analyte	Result	Action Level	LOQ	Type
Thiacloprid	< LOQ	0.2	0.09318	Neonicotinoid insecticide
Thiamethoxam	< LOQ	0.2	0.09318	Neonicotinoid insecticide
Trifloxystrobin	< LOQ	0.2	0.09318	Strobin flungicide

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.



Harrison Cassady

Lab Director

Dream Queen

ANM Inc.

030-1004164663A

Laboratory ID: 1812016-07

Quality Control Potency


Batch: B18L026 - Potency

Blank(B18L026-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.200	%		12/05/18 08:22	12/06/18 10:06	
delta 9-THC	< LOQ	0.200	%		12/05/18 08:22	12/06/18 10:06	
CBGA	< LOQ	0.200	%		12/05/18 08:22	12/06/18 10:06	
CBDA	< LOQ	0.200	%		12/05/18 08:22	12/06/18 10:06	
CBD	< LOQ	0.200	%		12/05/18 08:22	12/06/18 10:06	
CBN	< LOQ	0.200	%		12/05/18 08:22	12/06/18 10:06	
CBG	< LOQ	0.200	%		12/05/18 08:22	12/06/18 10:06	
delta 8-THC	< LOQ	0.200	%		12/05/18 08:22	12/06/18 10:06	
CBC	< LOQ	0.200	%		12/05/18 08:22	12/06/18 10:06	

LCS(B18L026-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	80.6	0.200	%	80-120	12/05/18 08:22	12/05/18 15:01	
delta 9-THC	94.8	0.200	%	80-120	12/05/18 08:22	12/05/18 15:01	
CBDA	94.5	0.200	%	80-120	12/05/18 08:22	12/05/18 15:01	
CBD	90.8	0.200	%	80-120	12/05/18 08:22	12/05/18 15:01	



Harrison Cassady
Lab Director

Dream Queen

ANM Inc.

030-1004164663A


Laboratory ID: 1812016-07

Quality Control Pesticide Analysis

Batch: B18L024 - Pest

Blank(B18L024-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	< LOQ	0.2500	ppm		12/05/18 08:15	12/05/18 16:39	
Acephate	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Acequinocyl	< LOQ	1.000	ppm		12/05/18 08:15	12/05/18 16:39	
Acetamiprid	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Aldicarb	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Azoxystrobin	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Biflennazate	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Biflenthin	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Boscalid	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Carbaryl	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Carbofluran	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Chlorantraniliprole	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Chlorfenapyr	< LOQ	0.5000	ppm		12/05/18 08:15	12/05/18 16:39	
Chlorpyrifos	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Clofentezine	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Cyfluthrin	< LOQ	0.5000	ppm		12/05/18 08:15	12/05/18 16:39	
Cypermethrin	< LOQ	0.5000	ppm		12/05/18 08:15	12/05/18 16:39	
Daminozide	< LOQ	0.5000	ppm		12/05/18 08:15	12/05/18 16:39	
DDVP (Dichlorvos)	< LOQ	0.5000	ppm		12/05/18 08:15	12/05/18 16:39	
Diazinon	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Dimethoate	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Ethoprophos	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Etofenprox	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Etoxazole	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Fenoxycarb	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Fenpyroximate	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Fipronil	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Fonicamid	< LOQ	0.5000	ppm		12/05/18 08:15	12/05/18 16:39	
Fludioxonil	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Hexythiazox	< LOQ	0.5000	ppm		12/05/18 08:15	12/05/18 16:39	
Imazalil	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Imidacloprid	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Kresoxim-methyl	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Malathion	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	



Harrison Cassady
Lab Director

Dream Queen

ANM Inc.

030-1004164663A

Laboratory ID: 1812016-07

Quality Control Pesticide Analysis (Continued)


Batch: B18L024 - Pest (Continued)

Blank(B18L024-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Metalaxyl	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Methiocarb	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Methomyl	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Methyl parathion	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
MGK-264	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Myclobutanil	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Naled	< LOQ	0.2500	ppm		12/05/18 08:15	12/05/18 16:39	
Oxamyl	< LOQ	0.8750	ppm		12/05/18 08:15	12/05/18 16:39	
Paclobutrazol	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Permethrins	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Phosmet	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Piperonyl butoxide	< LOQ	0.5000	ppm		12/05/18 08:15	12/05/18 16:39	
Prallethrin	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Propiconazole	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Propoxur	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Pyrethrins	< LOQ	0.5000	ppm		12/05/18 08:15	12/05/18 16:39	
Pyridaben	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Spinosad	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Spiromesiflen	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Spirotetramat	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Spiroxamine	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Tebuconazole	< LOQ	0.2000	ppm		12/05/18 08:15	12/05/18 16:39	
Thiacloprid	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Thiamethoxam	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	
Trifloxystrobin	< LOQ	0.1000	ppm		12/05/18 08:15	12/05/18 16:39	

LCS(B18L024-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	60.1	0.2500	ppm	70-130	12/05/18 08:15	12/05/18 16:17	LCS, R
Acephate	108	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Acequinocyl	97.3	1.000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Acetamiprid	104	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Aldicarb	111	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Azoxystrobin	94.8	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Bifenazate	123	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	



Harrison Cassady
Lab Director

Dream Queen

ANM Inc.


030-1004164663A

Laboratory ID: 1812016-07

Quality Control Pesticide Analysis (Continued)

Batch: B18L024 - Pest (Continued)

LCS(B18L024-BS1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Bifenthrin	94.3	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Boscalid	89.2	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Carbaryl	106	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Carbofluran	98.2	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Chlorantraniliprole	89.9	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Chlorfenapyr	120	0.5000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Chlorpyrifos	94.1	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Clofentezine	92.9	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Cyfluthrin	84.4	0.5000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Cypermethrin	89.3	0.5000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Daminozide	116	0.5000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
DDVP (Dichlorvos)	101	0.5000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Diazinon	106	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Dimethoate	99.0	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Ethoprophos	98.8	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Etofenprox	88.2	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Etoxazole	89.3	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Fenoxycarb	98.5	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Fenpyroximate	95.8	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Fipronil	106	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Fonicamid	103	0.5000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Fludioxonil	131	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	LCS, R
Hexythiazox	99.1	0.5000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Imazalil	101	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Imidacloprid	104	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Kresoxim-methyl	98.2	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Malathion	95.7	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Metalaxyl	95.5	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Methiocarb	98.7	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Methomyl	116	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Methyl parathion	86.2	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
MGK-264	97.4	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Myclobutanil	106	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Naled	95.5	0.2500	ppm	70-130	12/05/18 08:15	12/05/18 16:17	



Harrison Cassady
Lab Director

Dream Queen

ANM Inc.

030-1004164663A

Laboratory ID: 1812016-07

Quality Control Pesticide Analysis (Continued)


Batch: B18L024 - Pest (Continued)

LCS(B18L024-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Oxamyl	105	0.8750	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Paclobutrazol	98.7	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Permethrins	96.0	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Phosmet	98.8	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Piperonyl butoxide	92.9	0.5000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Prallethrin	94.4	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Propiconazole	101	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Propoxur	94.6	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Pyrethrins	109	0.5000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Pyridaben	96.0	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Spinosad	100	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Spiromesifen	99.8	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Spirotetramat	96.4	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Spiroxamine	105	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Tebuconazole	102	0.2000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Thiacloprid	96.5	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Thiamethoxam	95.7	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	
Trifloxystrobin	92.0	0.1000	ppm	70-130	12/05/18 08:15	12/05/18 16:17	

Notes and Definitions

- B Analyte detected in method blank, but not associated samples.
 - B2 Analyte detected in sample and associate method blank.
 - C Interference due to coelution.
 - D Initial result exceeded calibration range, reported data are based on analysis of a dilution
 - H Non-homogenous sample matrix affecting RPD and/or QC.
 - I Manual Integration was performed
 - L Duplicate sample relative percent difference (RPD) exceeds QC limits.
 - M Anomalous results due to matrix interference
 - P Peaks manually split.
 - Q1 QC out of limits but still ok
 - Q2 Quality Control outside QC limits. Data considered estimate.
 - Q3 CCV was above the acceptance criteria. Non-detect samples are considered acceptable.
 - Q4 CCV was below the acceptance criteria, however the sample still exceeds the regulatory limit.
 - R Marginal Exceedence.
 - U Reported result is an estimate. The analyte was detected above the calibration range.
 - X Problems with initial analysis, reported data are from reinjection of prepared sample
- <LOQ - Results below the Limit of Quantitation - Compound not detected



Harrison Cassady
Lab Director